

# PRODUCT INFORMATION DECLARATION

## Carpet Tiles range: Offiter series



Class 1 | Version 1 | November 2023

### Declaration

Pegasus Carpet NZ LTD has provided this declaration to satisfy the provisions of Schedule 1(d) of the [Building \(Building Product Information Requirements\) Regulations 2022](#) (Ctrl+Click to view regulation).

### Product Description

Our carpet is made in China and designed specifically for the unique New Zealand environment. We understand the demands of the local climate and lifestyle, ensuring that our carpets are durable and suitable for Kiwi homes and business. The Offiter carpet tile series provides comfort and durability. Made from premium nylon in a tufted textured loop style, these carpet tiles have complaint, radiant flux and antistatic performance.

|   |   |
|---|---|
| <b>Range Name</b>   | Offiter carpet tiles  |
| <b>Product Specification Link</b>                         | <a href="https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Matua.pdf">https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Matua.pdf</a> |
| <b>Identifier(s) to all colours from <i>the</i> range</b> | NT304 Piha<br>NT893 Raglan<br>NT894 Okato<br>NT895 karekare<br>NT896 Patea  |

### Scope of Use and Limitations

| Scope                        | Limitations                    |
|------------------------------|--------------------------------|
| √ Interior                   | × Exterior                     |
| √ Commercial                 | × Wet Areas                    |
| √ Residential / Accomodation | × Food Prep Areas              |
| √ High Traffic               | × Green Room                   |
| √ Exposed Sunlight           | × On Walls                     |
| √ Ramps/Entry                | × Over Existing Floor Covering |
| √ Antistatic                 |                                |
| √ Underfloor Heating         |                                |
| √ With Wheels                |                                |

### Relevant Building Code Clauses

|                       |   |
|-----------------------|---|
| Stability             | B2.3.1(c)                                 |
| Protection from fire  | C3.4(b)                                   |
| Access                | D1.3.3(d)                                 |
| Moisture              | E3.3.3   E3.3.5   E3.3.6                  |
| Safety of Users       | F2.3.1                                    |
| Services & Facilities | G3.3.2(b)<br>G6.3.1   G6.3.2 – not tested |

## Contributions to Compliance

### Clause B - Stability

B2.3.1 Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c) 5 years if:

- (i) The building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
- (ii) Failure of those building elements to comply with the building code would be easily detected during normal use of the building

### Clause C – Prevention of fire

C3.4(b): floorsurface materials in the following areas of *buildings* must meet the performance criteria specified below:

### Clause D – Access

D1.3.3(d): have *adequate* slip-resistant walking surfaces under all conditions of normal use,

### Clause E – Moisture

E3.3.3 Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5 Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6 Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

### Clause F – Safety of Users

F2.3.1 The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

### Clause G – Services and Facilities

G3.3.2(b) All building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1 The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

G6.3.2 The Impact Insulation Class of floors shall be no less than 55.

## Installation Requirements

Carpet must be installed in accordance with AS/NZS 2455.1:2007 and any other additional installation recommendations as prescribed by Pegasus Carpet.

A suitable locally available adhesive may be used, such as Gilt Edge Gilt Grip 66 Pressure Sensitive adhesive.

## Maintenance Requirements

Carpet must be cleaned and maintained in accordance with AS/NZS 3733:1995 and any other additional recommendations as prescribed in Pegasus Carpet Care and Maintenance Guide:

<https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Carpet-care-and-stain-remover-guide.pdf>

## Warranty Information

For Warranty information refer to our website:

<https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Carpet-Warranty-Nylon.pdf>

## Additional Information

Mt series carpet is not subject to any ban issued under S26 of the Building Act.

## Supporting Documents

All supporting documents can be found on the Pegasus Carpet website: [www.pegasuscarpet.com](http://www.pegasuscarpet.com) or by this QR code



## Company Details

|                       |   |
|-----------------------|---|
| Pegasus Carpet NZ LTD |   |
| Address               | 3 / 80 Gargan Road,<br>Tauriko, Tauranga 3171 |
| Phone                 | +64 7 5433888                                 |
| Email                 | info@pegasuscarpet.com                        |
| Website               | www.pegasuscarpet.com                         |
| NZBN                  | 9429051643669                                 |

## Manufacturer Details

|                                     |  |
|-------------------------------------|--|
| Weihai Pegasus Carpet Sales Co. LTD |  |
| Address                             | 1613 /Block B, 190-1 Wen Hua<br>West Road, Weihai City,<br>Shandong, China |