

PRODUCT INFORMATION DECLARATION

Carpet range: Polypropylene series



Class 1 | Version 1 | November 2023

Declaration

Pegasus Carpet NZ LTD has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022 (Ctrl+Click to view regulation).

| Product Series Name | Product Range Name | Identifier(s) to all colours from each range | |
|----------------------|--------------------|--|--|
| Polypropylene series | Power Station | P109 Sandspit P112 Foggy Grey P113 Dark Grey | P126 Cloud P127 Pewter P128 pepper |
| | Paradise | P909 Sandspit P912 Foggy Grey P913 Dark Grey | P926 Cloud P927 Pewter P928 pepper |
| | Pelican Landing | P209 Sandspit P212 Foggy Grey P213 Dark Grey | P226 Cloud P227 Pewter P228 pepper |

Product Description

Our carpet is made in China and designed specifically for the unique New Zealand environment. We understand the demands of the local climate and lifestyle, ensuring that our carpets are durable and suitable for New Zealand homes. The polypropylene series introduce two ranges and 6 colours in each range to cater difference preferences and budgets.

| Range Name | Product Specification Link |
|-----------------|---|
| Power Station | https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Power-Station.pdf |
| Paradise | https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Paradise.pdf |
| Pelican Landing | https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Pelican-Landing.pdf |

Scope of Use and Limitations

| Scope | | Limitations | |
|-------|--------------------|-------------|------------------------------|
| √ | Interior | × | Exterior |
| √ | Residential | × | Wet Areas |
| √ | High Traffic | × | Food Prep Areas |
| √ | Low Traffic | × | Green Room |
| √ | Exposed Sunlight | × | Over Existing Floor Covering |
| √ | Antistatic | × | With Wheels |
| √ | Underfloor Heating | | |

Relevant Building Code Clauses

| | |
|-----------------------|---|
| Stability | B2.3.1(c) |
| Protection from fire | C3.4(b) |
| Access | D1.3.3(d) |
| Moisture | E3.3.3 E3.3.5 E3.3.6 |
| Safety of Users | F2.3.1 |
| Services & Facilities | G3.3.2(b) G6.3.1 G6.3.2 – not tested |

Contributions to Compliance

Clause B - Stability

B2.3.1 Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c) 5 years if:

- (i) The building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
- (ii) Failure of those building elements to comply with the building code would be easily detected during normal use of the building

Clause C – Prevention of fire

C3.4(b): floor surface materials in the following areas of *buildings* must meet the performance criteria specified below:

Clause D – Access

D1.3.3(d): have *adequate* slip-resistant walking surfaces under all conditions of normal use,

Clause E – Moisture

E3.3.3 Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5 Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6 Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

Clause F – Safety of Users

F2.3.1 The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

Clause G – Services and Facilities

G3.3.2(b) All building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1 The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

G6.3.2 The Impact Insulation Class of floors shall be no less than 55.

Installation Requirements

Carpet must be installed in accordance with AS/NZS 2455.1:2007 and any other additional installation recommendations as prescribed by Pegasus Carpet.

Maintenance Requirements

Carpet must be cleaned and maintained in accordance with AS/NZS 3733:1995 and any other additional recommendations as prescribed in Pegasus Carpet Care and Maintenance Guide:

<https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Carpet-care-and-stain-remover-guide.pdf>

Warranty Information

For Warranty information refer to our website:

<https://www.pegasuscarpet.com/wp-content/uploads/Pegasus-Carpet-Warranty-Polypropylene.pdf>

Additional Information

Mt series carpet is not subject to any ban issued under S26 of the Building Act.

Supporting Documents

All supporting documents can be found on the Pegasus Carpet website: www.pegasuscarpet.com or by this QR code



Company Details

| | |
|-----------------------|---|
| Pegasus Carpet NZ LTD | |
| Address | 3 / 80 Gargan Road, Tauriko, Tauranga 3171 |
| Phone | +64 7 5433888 |
| Email | info@pegasuscarpet.com |
| Website | www.pegasuscarpet.com |
| NZBN | 9429051643669 |

Manufacturer Details

| | |
|-------------------------------------|--|
| Weihai Pegasus Carpet Sales Co. LTD | |
| Address | 1613 /Block B, 190-1 Wen Hua West Road, Weihai City, Shandong, China |